	Application No.	Applicant(s)
Notice of Allowability	10/743,940 Examiner	CAPONI, RICHARD C.
	Michael P. Ferguson	3679
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject	oplication. If not included n will be mailed in due course. THIS
1( This communication is responsive to <u>04 December 2006 interview</u> .		
∑ The allowed claim(s) is/are 24-27 and 29-33.		
3. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the:	nder 35 U.S.C. § 119(a)-(d) or (f).	
1. Certified copies of the priority documents have been received.		
Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
Ď. ☑ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☑ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 12/04/06.		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		•
, Adda alivos and/a)	·	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. X Interview Summar	/ (PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amend	
Paper No./Mail Date  4.	8. 🛛 Examiner's Statem	ent of Reasons for Allowance
or biological iviaterial	9. 🗌 Other	

Application/Control Number: 10/743,940

Art Unit: 3679

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas J. Menard on December 4, 2006.

The application has been amended as follows:

- In the specification, on page 4, after line 10 inserted --Figure 10 and 11 illustrate

  Tables 2 and 3--.
- In the specification, on page 11, in line 25 before "giving exemplary ranges" deleted "Attached are Tables 3 and 4" and replaced with --Illustrated in Figures 10 and 11 are Tables 2 and 3--.
- In claim 24, in line 5 after "each said land having" inserted --a second diameter and--.
- In claim 24, in line 7 after "parallel to said longitudinal axis" inserted -- having a substantially uniform height extending above said first diameter--.
- In claim 24, in line 9 after "five times said height, " inserted --and said grooves having a depth greater than said height; and --.
- 2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant:

Application/Control Number: 10/743,940

Art Unit: 3679

In Figures 4 and 6, the slanted surfaces between lands **16** and **18** should be clearly shown in order to properly correspond to the cross-section of Figure 3.

The photographs of Figures 7-9 are unclear; one is unable to clearly see the details of such figures. Applicant should provide better copies of such photographs.

The label "Prior Art Knurled" should be deleted from Figure 7.

The label "Prior Art Grooved Pin" should be deleted from Figure 8.

The label "Helical Grooved Pin" should be deleted from Figure 9.

Table 2 should be labeled -- Figure 10--.

Table 3 should be labeled -- Figure 11--.

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

3. The following is an examiner's statement of reasons for allowance:

As to claim 24, Highfield (US Re. 34,928) discloses the claimed pin with the exception of a majority of each land having a substantially uniform height extending above the first diameter, the width being at least approximately five times the height, and the grooves having a depth greater than the height.

There is no teaching or suggestion, absent the applicant's own disclosure, for one having ordinary skill in the art at the time the invention was made to modify the pin as disclosed by Highfield to have the above mentioned elemental features.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably



Application/Control Number: 10/743,940

Art Unit: 3679

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael P. Ferguson whose telephone number is (571)272-7081. The examiner can normally be reached on M-F (8:00-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel P. Stodola can be reached on (571)272-7087. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MPF 12/04/06

> DANIEL P. STODOLA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3600

aniel P Stodola